WWW.HSPUTELIDS.COM

Part No: DM5R

Fitting Time: 120 minutes

ROLL.R.COVER

ISUZU DMAX (MY21) 07/2020 +
SPACE CAB



Roll-R-Cover

Fitting Instructions

© Roll Я Cover

General Notes

- Read through the fitting instructions before installation of accessory.
- Always install the Roll Я Cover Wiring Kit following the workshop manual and fitting instructions provided. Failure to do so may cause damage to the vehicle or the accessory.
- Ensure all recyclable components and packaging are discarded and recycled following local recycling regulations.
- It is always recommended that the Roll Я Cover Wiring Kit is fitted by a qualified automotive technician.
- Safely store and protect any removed vehicle components.

Safety Notes

- Check that all work practices comply with safety standards.
- Please wear appropriate clothing and use safety equipment.

Fitting Time

180 minutes

Parts Supplied

DM5R			
PART DISCRIPTION	PART NUMBER	QUANTITY/LENGTH	CHECK
DM5R FITTING INSTRUCTIONS	650	1	
DM5R CANISTER AND CURTAIN	651	1	
DM5R COMPLETE CANISTER COVER	659	1	
DM5R RAIL RIGHTHAND	652	1	
DM5R RAIL LEFTHAND	653	1	
REMOTE	215	2	
CABLE TIE	501	1	
LUBRICANT SPRAY	47	1	
OPERATION LEAFLET	66	1	
MAINTENANCE LEAFLET	67	1	
CABLE TIE 4.8X300MM	217	10	
HOSE 600MM	11	4	
ROLL R LOOM	216	1	
ADJUSTMENT PLATES	31	2	
PRIMER STICK	44	2	
BLACK PUTTY	3	8	

© Roll Я Cover

The following steps are for vehicles with bed liners. If there are no bed liners installed move to Step 4

Step 1

Trim front of bed liner by 180mm from the top of the ute bed as shown.



Step 2

Cut a 20mm split for bed liner to flex.



© Roll Я Cover

Step 3

Measure 20mm down from top of tailgate and trim tailgate liner.



Step 4

Roll-R-Cover preparation steps



© Roll Я Cover

Step 5

Carefully unpack the box.





Step 6

Wiring Harness steps

1 **Feed through the cavity**



3



2



Run the wiring from the front corner cavity to the battery over the chassis rail. Making sure to keep away from hot obstructions and cable tie every 400mm.

© Roll Я Cover

– Step 7



Important

Ensure the black tar is not removed with the film.

– Step 8



M6 Bolt and M6 Spring Washer is only on the RHS Side Rail

© Roll Я Cover

Step 9



Step 10



© Roll Я Cover

Step 11



Step 12

Apply tar sealant to the gap under water channel.



© Roll Я Cover

– Step 13



– Step 14



© Roll Я Cover

Step 15

Installing the Roll-R-Cover





4 People
Recommended for lift

Step 16

Before dropping the Roll R cover into place on the tub, connect all relevant connections or plugs to the receiver and motor plug connection.







© Roll Я Cover

Step 17



Step 18



© Roll Я Cover

Step 19







Apply pressure then tighten clamps

Step 20

If curtain doesn't meet the tailgate in it's fully closed position, loosen the clamps and shift the unit back.



No Gap



Gap



© Roll Я Cover

– Step 21



– Step 22

Side rail rubber must have a 2mm gap from the top of the tailgate in the closed position.



Rear clamp has an adjustment bolt. Drive the bolt in to lift the rear of the side rail till it clears the tailgate.

© Roll Я Cover

Step 23



Step 24

Drill through bed and liner (check for obstructions). Connect the clear drain pipes to the canister and feed through the bed liner making sure to cut the excess to aviod kinks in the pipe.



If the vehicle does not have a bed liner,locate the grommets on the lower section front of tub, under the Roll R Cover Canister, make a hole (check for obstructions) and feed through by 10mm. Cut excess off .

© Roll Я Cover

– Step 25

Rear drainage: Remove the tail light to check for obstructions before drilling.







– Step 26

Snap fit the top cover.



© Roll Я Cover

– Step 27



Important

Tracks need to be lubricated regularly

– Step 28



© Roll Я Cover

Step 29

E. & O.E. This document is copyright and must not be used except as permitted below or under the Copyright Act 1968. You may reproduce and publish this document in whole or in part for your or your organisation's own personal or internal compliance, educational or non-commercial purposes. You must not alter or amend this document in any way. You must not reproduce or publish this document for commercial gain without the prior written consent of the copyright owner.

© Roll Я Cover